



**Legend**

- EXISTING PARTITION, WALL OR COLUMN TO REMAIN
- NEW 1 HR. FIRE RATED PARTITION OF 5/8" TYPE "X" GYPSUM BOARD ON EACH SIDE OF 3/8" METAL STUDS @ 24" O.C. EXTEND TO UNDERSIDE OF DECK ABOVE. SEAL ALL PENETRATIONS FOR ONE HOUR FIRE RATING. SEE DETAIL - PARTITION TYPE "C" SEE C/A-6
- NEW 1 HR. FIRE RATED PARTITION OF 5/8" TYPE "X" GYPSUM BOARD ON EACH SIDE OF 3/8" METAL STUDS @ 24" O.C. EXTEND TO UNDERSIDE OF DECK ABOVE. SEAL ALL PENETRATIONS FOR ONE HOUR FIRE RATING. SEE DETAIL - PARTITION TYPE "C" SEE C/A-6 - NO SOUND ATTENUATION
- NEW INTERIOR PARTITION OF 1/2" GYP. BD. ON EACH SIDE OF 3-5/8" METAL STUDS @ 24" O.C. GYPSUM ATTENUATION BARRIERS IN STUD ABOVE. SEAL ALL PENETRATIONS FOR ONE HOUR AT 4'-0" O.C. MAX. SEE B/A-6
- NEW INTERIOR PARTITION OF 1/2" GYP. STUDS @ 24" O.C. EXTEND TO BOTTOM OF CEILING UNLESS OTHERWISE NOTED. SEE A/A-6
- EXISTING INTERIOR PARTITION W/STUD SPRACING SOUND ATTENUATION IN STUD SPRACING
- EXISTING DOOR TO REMAIN
- NEW DOOR
- REMOVE PORTIONS OF EXISTING PARTITION TO ACCOMMODATE NEW DOOR AS SHOWN
- INDICATES FOLDING PARTITION WITH SUPPLIER - COORDINATE
- INDICATES FOLDING PARTITION WITH SUPPLIER
- INDICATES FIRE EXTINGUISHER
- INDICATES FURNITURE BY TENANT
- NEW FOLDING PARTITION BY HOSCHER/UD. ACQUISIT-SEAL, MODEL # 831 (50 STC) WITH TIE-WALL, HERALD FINISH SERIES 30410A. FOLD DRIZZLE - COORDINATE WITH SUPPLIER FOR SEAL. COORDINATE WITH SUPPLIER FOR FLOOR SEAL (MANUAL FLOOR SEAL IF FLOOR CHANGE IS GREATER THAN 1")
- EXISTING ONE OUR FIRE RATED PARTITION. G.C. TO VERIFY EXISTING PARTITION AND VERIFY RESEARCH AND VERIFY ONE OUR FIRE RATING
- INDICATES EQUIPMENT BY TENANT, TYP.
- CONTRACTOR TO VERIFY EXISTING PARTITIONS AND VERIFY AS NECESSARY TO ACHIEVE A 1 HR. FIRE RATING. NEW 1/2" DEEP 1X1 STEEL SHELVES PROPERLY SECURED TO PARTITION PARTITION AS REQUIRED
- PROVIDE A 6'-0" H. X LENGTH OF WALL PL. WOOD BOARD ON EACH SIDE OF 3/8" METAL STUDS @ 24" O.C. EXTEND TO UNDERSIDE OF DECK ABOVE. PROVIDE WOOD BLOCKING AT WALL FOR SUPPORT
- TELECOM ROOM TO BE CONSTRUCTED AND READY FOR OCCUPANCY ASAP.

CENTER LINE OF NEW PARTITION TO ALIGN WITH CENTER LINE OF EXISTING WINDOW MULLIONS

CENTER LINE OF NEW PARTITION TO ALIGN WITH CENTER LINE OF EXISTING WINDOW MULLIONS

CENTER LINE OF NEW PARTITION TO ALIGN WITH CENTER LINE OF EXISTING WINDOW MULLIONS

CENTER LINE OF NEW PARTITION TO ALIGN WITH CENTER LINE OF EXISTING WINDOW MULLIONS

CENTER LINE OF NEW PARTITION TO ALIGN WITH CENTER LINE OF EXISTING WINDOW MULLIONS